

## 1 г General Risk Assessment: School Groups MANCHESTER MUSEUM

<b>Date:</b> 10/07/2024	Assessed by: Amy McDowall	Checked / V Hannah-Lee	/alidated* by: Chalk	Location: Manchester Museum	Assessment ref no n/a	<b>Review date:</b> 01/08/2025
Task / premise	es:					
General education	onal group visit to Manch	nester Museum, ir	ncluding museum gallerie	es and public spaces.		
Activities may	include:					
- Use of p	ublic galleries <mark>, s</mark> hop and	other spaces				
- Use of p	ublic picnic facilities					
- Use of p	ublic toilets					
- Use of q	uiet room / prayer room					
Please note th	at:					
This is an intern	al risk assessment for th	e venue only.				
It is the respons	sibility of the school teacl	her / group leade	r to carry out a risk asse	ssment for their visit.		
School teacher(	s) / group leader(s) are i	in overall charge	and <mark>must stay</mark> with the g	roup at all times: Membe	rs of museum staff are facili	tators only.
Guidance on rec	commended ratios for all	trips can be foun	d online: <u>https://www.m</u>	useum.manchester.ac.uk	<u>/learn/schools/</u>	
Advice for schoo	ol teacher / group leader	that must be not	ed in advance is <mark>highligh</mark>	ted in yellow.		
A	Who	might be	-		at a la state	Risk

Activity	Hazard	Who might be harmed and how	Existing measures to control risk	Risk rating	Result
Attending the museum	Fire risk External threat or major event (e.g. on Oxford Road)	Pupils, teachers, accompanying adults: Injuries caused by fire and smoke inhalation or evacuation procedure	<ul> <li>Trained gallery attendant staff (Visitor Team members) will provide appropriate instructions in case of emergency and will manage any evacuation</li> <li>Annual fire evacuation practice carried out</li> <li>Access to fire exits kept clear</li> <li>Regular removal of combustible waste</li> <li>Electrical equipment is kept away from combustibles and switched off when not in use</li> <li>Invacuation procedures are also in place to move visitors to safe areas in the building in the event of a major external incident</li> </ul>	Medium	Adequate

Hazard	Who might be harmed and how	Existing measures to control risk	Risk rating	Result
Lost child	Pupils: Safety and safeguarding	<ul> <li>Care and supervision of children is the responsibility of teacher(s) / group leader(s)</li> <li>Adult to child ratio guidance provided by museum at <u>https://www.museum.manchester.ac.uk/learn/primary-schools/</u> and <u>https://www.museum.manchester.ac.uk/learn/secondary-and-post-16/</u>.</li> <li>Visitor-facing staff (Visitor team &amp; volunteers) are trained to implement lost child procedures including the use of closed-channel radio communication</li> </ul>	Medium	Adequate
Wet / slippery floor due to weather / cleaning Use of stairs Free-standing artefacts Display panels Furniture	Pupils, teachers, accompanying adults: Slips, trips, falls Scrapes and bumps on edges	<ul> <li>Health &amp; safety directions given (e.g. signage) as appropriate</li> <li>Reasonable standards of cleanliness are maintained</li> <li>Any identified damage or hazards are reported to museum staff / maintenance staff accordingly</li> <li>Floors are kept clear of items and any educational resources are stored away from walkways</li> <li>Handrails available on stairs</li> <li>Lifts available if needed</li> <li>Appropriate supervision levels from accompanying adults</li> <li>Any accidents / incidents reported to member of staff / first aider and recorded appropriately</li> <li>Free-standing objects are clearly marked and cordoned off</li> </ul>	Low	Trivial
Automatic doors Lift breakdown	Pupils, teachers, accompanying adults: Trapped fingers Getting stuck in lift	<ul> <li>Children under 16 are not permitted to use the lift during school visits unless accompanied by an adult</li> <li>Care and supervision of children is the responsibility of teacher(s) / group leader(s)</li> <li>Adult to child ratio guidance provided by museum</li> <li>Lifts have sensors on doors</li> <li>Lifts maintained regularly</li> <li>Lifts fitted with call buttons in case of breakdown</li> </ul>	Low	Trivial
	Lost child Wet / slippery floor due to weather / cleaning Use of stairs Free-standing artefacts Display panels Furniture	Hazardharmed and howLost childPupils: Safety and safeguardingWet / slippery floor due to weather / cleaning Use of stairs Free-standing artefacts Display panels FurniturePupils, teachers, accompanying adults: Slips, trips, falls Scrapes and bumps on edgesAutomatic doors Lift breakdownPupils, teachers, accompanying adults: Trapped fingers	Hazardharmed and howExisting measures to control riskLost childPupils: Safety and safeguarding- Care and supervision of children is the responsibility of teacher(s) / group leader(s)Wet / slippery floor due to weather / cleaning Use of stairs Free-standing artefacts Display panels- Pupils, teachers, accompanying adults:- Care and supervision of children is the responsibility of teacher(s) / group leader(s)Automatic dors Lift breakdownPupils, teachers, accompanying adults:- Care and supervision of children is the responsibility of teacher(s) / group leader(s)Automatic dors Lift breakdownPupils, teachers, accompanying adults:- Care and supervision of children is the responsibility of teacher(s) / group leader(s)Automatic dors Lift breakdownPupils, teachers, accompanying adults:- Care and supervision levels from accompanying adults - Any identified damage or hazards are reported to museum staff / maintenance staff accordinglyAutomatic dors Lift breakdownPupils, teachers, accompanying adults:- Floors are kept clear of items and any educational resources are stored away from walkwaysAutomatic dors Lift breakdownPupils, teachers, accompanying adults:- Children under 16 are not permitted to use the lift during school visits unless accompanied by an adultChildren under 16 are not permitted to use the lift during school visits unless accompanied by an adult- Care and supervision of children is the responsibility of teacher(s) / group leader(s) - Adult to child ratio guidance provided by museum - Adult to child ratio guidance provided by museum - Lifts have sen	Hazardharmed and howExisting measures to control riskratingLost childPupils: Safety and safeguarding• Care and supervision of children is the responsibility of teacher(s) / group leader(s) • Adult to child ratio guidance provided by museum at https://www.museum.manchester.ac.uk/learn/primary-schools/ and https://www.museum.manchester.ac.uk/learn/secondary-and-post-16/.MediumWet / slippery foor due to weather / cleaning Use of stairs Free-standing artefactsPupils, teachers, adults:• Health & safety directions given (e.g. signage) as appropriate • Reasonable standards of cleanliness are maintained • Any identified damage or hazards are reported to museum staff / maintenance staff accompanying adults:• Health & safety directions given (e.g. signage) as appropriate • Reasonable standards of cleanliness are maintained • Any identified damage or hazards are reported to museum staff / maintenance staff accompanying adults:LowNutomatic doors Lift breakdownPupils, teachers, accompanying adults:• Children under 16 are not permitted to use the lift during school visits unless accompanied by an adult • Any accidents / incidents reported to museum • Adults in this have sensors on doors • Lifts have sensors on doors • Lifts maintained regularlyLow

Activity	Hazard	Who might be harmed and how	Existing measures to control risk	Risk rating	Result
Use of and movement around galleries	Corners of display cases Glass cases Gallery furniture	Pupils, teachers, accompanying adults: Banging into corners of display cases / gallery furniture Banging head on glass or under viewing cases Trips and falls	<ul> <li>Care and supervision of children is the responsibility of teacher(s) / group leader(s)</li> <li>Adult to child ratio guidance provided by museum at https://www.museum.manchester.ac.uk/learn/primary-schools/ and https://www.museum.manchester.ac.uk/learn/secondary-and-post-16/.</li> <li>Galleries inspected daily by staff to comply with cleanliness and maintenance standards</li> <li>Any potential hazards are clearly marked</li> <li>Accidents and incidents are reported, recorded and monitored</li> <li>Visitor-facing staff (Visitor Team) present on galleries</li> <li>First aider available</li> </ul>	Low	Trivial
Use of main public picnic area	Corners and edges, middle island, and furniture Wet or slippery floors due to spills Microwave	Pupils, teachers, accompanying adults: Bangs and scrapes on edges of furniture Slips, trips and falls Burns	<ul> <li>Care and supervision of children is the responsibility of teacher(s) / group leader(s)</li> <li>Adult to child ratio guidance provided by museum</li> <li>Groups and visitors are asked to report spillages to reception to ensure prompt cleaning can be arranged</li> <li>Wet floor signs are provided</li> <li>Regular checks are undertaken by visitor team and the area is monitored by cleaning staff during busy times</li> <li>Microwave is Pat-tested and used only with adult supervision</li> <li>First aider available</li> </ul>	Low	Adequate
Use of public toilets	Wet or slippery floors Improper conduct	Pupils, teachers, accompanying adults: Slips and falls Safeguarding	<ul> <li>Care and supervision of children is the responsibility of teacher(s) / group leader(s)</li> <li>Adult to child ratio guidance provided by museum</li> <li>Reasonable standards of cleanliness maintained</li> <li>Users asked to report damage / hazard to reception to ensure prompt cleaning / maintenance can be arranged</li> </ul>	Medium	Adequate

Activity	Hazard	Who might be harmed and how	Existing measures to control risk	Risk rating	Result
Use of quiet room and prayer room	Furniture and resources Improper conduct	Pupils, teachers, accompanying adults: Slips, trips and falls Safeguarding	<ul> <li>Care and supervision of children is the responsibility of teacher(s) / group leader(s)</li> <li>Adult to child ratio guidance provided by museum</li> <li>Reasonable standards of cleanliness maintained</li> <li>Users asked to report damage / hazard to reception to ensure prompt cleaning / maintenance can be arranged</li> <li>Children under 16 are not permitted to use the quiet room or prayer room unless accompanied by an adult</li> </ul>	Medium	Adequate